![TPR Enterprises, Ltd.® logo]

TPR DMX 64 LED FIBER OPTIC ILLUMINATOR™

IP20

Description:

The TPR LED Fiber Optic Illuminator is a solid state RGBW light engine for illuminating fiber optic cables in the Architectural and Entertainment markets. It is IP20 rated for indoor locations, uses state of the art LED technology. It is the perfect solution for replacing Metal Halide and Halogen Illuminators and at only 120 watts it is extremely energy efficient. Ideal for use in star ceilings, fiber curtains, entertainment and architectural applications and any limited access locations.

Specifications:

FEATURES:
UL Listed
Stand-alone operable
Manual and DMX controllable
Mixed color or Single Bright White

ELECTRICAL:
Input Voltage: 100-240 VAC
Power Consumption: 120W Max

OPERATING ENVIRONMENT:
Ingress Protection: IP20
Exposure: Indoors
Operating Temperature: 0° to 40°C
Storage Temperature: -40° to 70°C
Airflow: 36cfm
Acoustic Noise: 31dBA

MECHANICAL:
Material/Finish: Black Anodized Aluminum, Black Iron Plate
Weight: 9 lbs
Dimensions: 11.8" x 5.3 " x 4.3"

MOUNTING:
• OK to mount in any orientation.
• Best orientation is with exhaust vent facing up.
• Keep vents free from obstruction.

Specifications subject to change without notice

Certifications:

Ordering Logic:

MODEL	COLOR	COLOR TEMP
TPR – LED – DMX – 64 – INDOOR –	RGBW –	2800K
		3000K
		4200K
		4400K
		5000K
		6000K

168 Irving Ave, Suite 303C, Port Chester, NY 10573 | PHONE: 914.698.1141 | FAX: 914.305.1926 | E-MAIL: info@tprlights.com | www.tprlights.com

© TPR Enterprises, LTD.