


# TPR 360° LED NEON RGB (25MM)

IP65

## Description:

The **TPR LED 360° Neon** is a flexible Neon replacement for Architectural and Entertainment venues. It is IP65 rated and has UV inhibitors. Great for outlining buildings and creating curved lines of light, it is an excellent choice for Marquees and large scale signage. This product is unique in its ability to broadcast light in 360 degrees. It also cuts to length every 2.46". We supply this product prefabricated and ready for installation with power feed and end cap installed.



## Specifications:

**Construction:** Silicone  
**Power:** 5W/ft  
**Operating Voltage:** 24VDC  
**Operating Temp:** -4F to 104F (-20C to 40C)  
**Dimensions:** 25mm Diameter  
**Lamp Life:** 50,000hr (70% Lumen Maintenance)  
**Cut length:** Every 2.46"  
**Max Run Length:** 16ft  
**Binning:** 3 step MacAdam ellipse  
**Power Feed:** 10' standard

COLOR	LUMENS	NM
RED	75	620
BLUE	36	465
GREEN	155	525

## Certifications:



## Ordering Logic:


















MODEL	COLOR	LENGTH (in inches)	FEED
TPR-FL-NEON-360-RGB	RGB		END SIDE

Specifications are subject to change without notice.

# TPR 360° LED NEON RGB (25MM)

IP65

## Installation Diagram



# TPR 360° LED NEON RGB (25MM)

IP65

## Product Accessories



**NAME:** R25  
**MODEL:** R25-IA



**NAME:** R25 Surface Mounting with PC Profile  
**MODEL:** R25-IA02 **ATTACHMENT:** transparent PC mounting profile, tapping screws, expandable rubber plugs



**NAME:** R25 "—" Type Hanging Mounting with open PC clips  
**MODEL:** R25-IA03 **ATTACHMENT:** transparent PC mounting clips, kit of hanging rope, screws



**NAME:** R25 "—" Type Hanging Mounting with PC Profile  
**MODEL:** R25-IA04 **ATTACHMENT:** transparent PC mounting profile, kit of hanging rope, screws




**NAME:** R25 Connector  
**MODEL:** R25-IA05 **ATTACHMENT:** kit of "I" type hanging mounting, tapping screws, expandable rubber plugs



**NAME:** R25 "U" Type Hanging Mounting  
**MODEL:** R25-IA06 **ATTACHMENT:** Kit of "I" type hanging mounting, tapping screws, expandable rubber plugs



**NAME:** R25  
**MODEL:** R25-IA07



**NAME:** R25 Connector with Side Outlet  
**MODEL:** R25-IA08 **ATTACHMENT:** metal connector with side outlet, tapping screws



**NAME:** R25 "I" Type Hanging Mounting  
**MODEL:** R25-IA09 **ATTACHMENT:** metal connector, tapping screws



**NAME:** R25 Surface Mounting with closed PC Clips  
**MODEL:** R25-IA10 **ATTACHMENT:** "O" type transparent PC clips, transparent PC pedestals with one hole, tapping screws, expandable rubber plugs



**NAME:** R25 "—" Type Hanging Mounting with Closed PC Clips  
**MODEL:** R25-IA11 **ATTACHMENT:** "Ω" type transparent PC clips, transparent PC pedestals with one hole, kit of hanging rope, machine screws



**NAME:** R25  
**MODEL:** R25-IA12




**NAME:** R25  
**MODEL:** R25-IA13



**NAME:** R25 "—" Type Adjustable Hanging Mounting with PC Clips  
**MODEL:** R25-IA14 **ATTACHMENT:** transparent PC mounting clips, machine screws, kit of telescopic rod



**NAME:** R25 "—" Type Adjustable Hanging Mounting with PC Profile  
**MODEL:** R25-IA15 **ATTACHMENT:** transparent PC mounting profile, Machine screws, kit of telescopic rod



**NAME:** R25 Side Outlet Transparent Connector  
**MODEL:** R25-IA18 **ATTACHMENT:** screws, PMMA transparent side outlet connector



**NAME:** R25 Side Outlet Transparent Connector with Lifting Rope  
**MODEL:** R25-IA19 **ATTACHMENT:** screws, kit of hanging rope, expandable rubber plugs, tapping screws PMMA transparent connector



**NAME:** R25 Transparent Connector  
**MODEL:** R25-IA20 **ATTACHMENT:** screws, PMMA transparent connector



**NAME:** R25 Transparent Connector with Lifting Rope  
**MODEL:** R25-IA21 **ATTACHMENT:** screws, kit of hanging rope, expandable rubber plugs, tapping screws PMMA transparent connector