

TPR WESTFLEX® 4-IN-1 RGBW TAPELIGHT V2

IP20/67

Description:


The **Westflex® 4-in-1 RGBW V2 Tapelight** is designed for Architectural and Entertainment markets. It is flexible, cuts to length every 3.937" and uses a high brightness 5050 LED for maximum performance. It is available in indoor or outdoor (with IP67 jacket), and is fully controllable via DMX512 when used in conjunction with the WestPower 300-4 DC Dimmer. The White quadrants of the LED chip are available in 2700K, 3000K, 4000K, and 6000K white. Available in both 12 and 24V.



Specifications:

Lumens:	475 lm/ft (at full RGBW)	Max Run:	16.4' on Single Power Feed
Power:	7.4 W/ft	Lamp Life:	50,000hrs @70% lumen maintenance
Operating Voltage:	24VDC	Max Lead:	35' with AWG18
Operating Temp:	-4F to 104F (-20C to 40C)	Viewing Angle:	120 degrees
Dimensions:	12mm W (without weatherproof jacket) x 3mm H	Cut Length:	3.937" (100mm)
	14mm W (with weatherproof jacket) x 4mm H	LEDs per Ft:	18
		PC Board:	12mm

Certifications:



Ordering Logic:

MODEL					PROTECTION (P) RATING
TPR-FL-SMD	-	RGBW4V2	-	2700K 3000K 4000K 6500K	NP (no jacket) IP (indoor protected) WP (weather protected)